

Exam Operations Research
CALCULATOR IS NOT ALLOWED

Construction of the exam

This exam consists of 6 exercises, from which 100 points can be obtained in total. The division of the points over the various parts is given in the table.

<i>Exercise</i>	<i>a</i>	<i>b</i>	<i>c</i>
Exc. 1	10	10	5
Exc. 2	15	-	-
Exc. 3	5	15	-
Exc. 4	10	5	-
Exc. 5	10	-	-
Exc. 6	15	-	-

Exam mark

$$\frac{\text{total number of points}}{10}$$

Final course mark

$$\frac{1}{4}\text{Instruction mark} + \frac{3}{4}\text{Exam mark}$$

Exercise 1

$$\begin{aligned} \max \quad Z &= 5x_1 - x_2 + 4x_3 \\ \text{s.t.} \quad &2x_1 + 2x_2 - x_3 \leq 5 \\ &3x_1 - 2x_2 + 3x_3 \leq 14 \\ &x_1, x_2, x_3 \geq 0. \end{aligned}$$

- Translate this LP-problem into standard basis form. Give the starting solution for the simplex algorithm and apply *one* iteration to get from the starting solution to an improved basic feasible solution. Show precisely how you find this improved basic feasible solution.
- Formulate the dual LP-problem.
- The following simplex tableau displays the optimal solution of the primal problem.

<i>Basic</i>	<i>z</i>	<i>x</i> ₁	<i>x</i> ₂	<i>x</i> ₃	<i>s</i> ₁	<i>s</i> ₂	<i>value</i>
(<i>Z</i>)	1	2.75	0	0	1.25	1.75	30.75
(<i>x</i> ₂)	0	2.25	1	0	0.75	0.25	7.25
(<i>x</i> ₃)	0	2.50	0	1	0.50	0.50	9.50

Without solving the dual, give the optimal dual solution and the optimal dual objective value.

Exercise 2. Please notice that for correct parts of the model in this exercise you can already gain points.

A group of 3 general physicians, GP1, GP2 and GP3, share their practice. Every day, at the start of the day, the patients who have asked for a consult are assigned to the 3 GPs. Each patient has indicated if he requires a short consult (15 minutes) or a long consult (30 minutes). This week there are 20 patients, numbered $1, 2, \dots, 20$. The first 7 patients have indicated to need a long consult. All the others require a short consult.

The GPs would like to find an assignment of the patients such that the total amount of time they will be busy is as equal as possible. But they are a very social team, and GP3 joined the practice just a month ago, and it is her first job as an independent GP. This means that she needs twice as much time for the patients as is indicated: thus, a short consult takes her 30 minutes and a long consult takes her 1 hour.

For the same reason there are some patients that should not be assigned to GP3. These are the patients numbered 1, 5 and 18. Moreover, GP2 does not like to get more than 2 long consult patients. GP1 gives the restriction that if he gets assigned patient 13 then he does not want to see patient 14. Finally, patients 9 and 10 form a couple and should *not* be assigned to the same GP.

Formulate this problem as an integer linear optimization problem.

Exercise 3.

Consider the following 0-1 knapsack problem.


$$\begin{array}{ll} \max & 7x_1 + 8x_2 + 3x_3 + 10x_4 \\ \text{s.t. :} & 4x_1 + 5x_2 + x_3 + 5x_4 \leq 9 \\ & x_1, x_2, x_3, x_4 \in \{0, 1\} \end{array}$$

- (a) Determine the unique solution of the LP-Relaxation of this problem. Also give the corresponding optimal objective value of the LP-Relaxation.
- (b) Solve the 0-1 knapsack problem using Branch&Bound. Clearly indicate in which order you compute the nodes of the search tree and where you prune the search tree, and based on which pruning criterion.

Exercise 4.

Consider the max-flow problem on the network in the figure. The number next to an arrow gives the capacity of that arrow.

- (a) Find the maximum flow from s to t using Ford-Fulkerson. Show clearly which flow augmenting paths you choose in each iteration.
- (b) Using the residual network in the optimum, find the minimum s - t -cut.



Exercise 5.

Undirect the arrows in the figure of **Exercise 4** and interpret the numbers in the figure as weights of the corresponding edges. Find the minimum spanning tree in the resulting graph. State whether you use Prim's or Kruskal's algorithm and clearly show how you use the algorithm.

Opgave 6.

A manufacturer of bicycles is planning his production of racing bicycles for the 6 months of the season. Outside of the season there is no demand from the retailers for racing bicycles. Market data from the past have given good estimates of what the expected demand will be. They are given in the table below. The production cost differs per month. The unit production cost are also given in the table. If racing bicycles are produced in a month, they are produced in one large batch because the production of racing bicycles requires a different setting of most of the machine park than the production of other bicycles. The cost of setting up the production of a batch of racing bicycles is 1000 euro. This setup cost is the same in each month. Finally, for each of the racing bicycles remaining in stock at the end of a month a holding cost of 20 euro is paid, also equal over all 6 months.

Month	demand	unit cost
April	700	150
May	1000	100
June	900	130
July	500	170
August	700	170
Sept.	300	100

Formulate this problem as a dynamic programming problem. To do so, describe the states and the interpretation of the value function in words. Give the recursion and the starting conditions and describe what needs to be computed in terms of the value function. **Hint:** Start with defining the stage.