

- 1a Explain what we mean by *distribution transparency* and mention at least five kinds of transparency. 10pt
- 1b Give an example that illustrates why it is not a good idea to always aim at complete distribution transparency. 5pt
- 1c Why is it impossible to realize complete distribution transparency? Hint: think of fault tolerance in so-called asynchronous systems? 10pt
- 1d To what extent does it make sense to talk about distribution transparency when executing a network application on a single machine? Motivate your answer! 5pt
- 2a Distributed objects generally consist of two parts. One part is a traditional object that is placed at a so-called object server. The other part is made out of proxies which are placed at clients, and which are virtually the same as client stubs in RPC systems.
- What do you think is the most important difference between a client/server application based on RPCs, and one that is based on distributed objects? Motivate your answer clearly. 10pt
- 2b An object reference is actually nothing else but a name for a (distributed) object. Mention a number of properties that an object reference should preferably have. Hint: think of naming in distributed file systems. 5pt
- 2c What are the advantages of using object technology for realizing distributed shared memory? 5pt
- 3a What is *strict consistency*? Explain why this concept works for uniprocessors, but is impossible to implement for multiprocessor machines. 5pt
- 3b Explain clearly what *weak consistency* is. 5pt
- 3c Weak consistency requires that a programmer indicates when the memories in a DSM system should be synchronized. To what extent is this a burden for the programmer? 10pt
- 4a What is a *session key* and what specific advantages do they offer? 5pt
- 4b Explain what the *birthday attack* is, and why it may actually work. 10pt
- 4c What is wrong with the following authentication protocol, which is based on the *shared key* K_{AB} : 5pt

Step	Sender	Receiver	Message
1	Alice	Bob	A, R_A
2	Bob	Alice	$R_B, K_{AB}(R_A)$
3	Alice	Bob	$K_{AB}(R_B)$

Grading: The final grade is calculated by accumulating the scores per question (maximum: 90 points), and adding 10 bonus points. The maximum total is therefore 100 points.